## **Author Index**

Abad, A., see González-Martínez, M.A. 199

Abad, A.

-, Moreno, M.J. and Montoya, A.

A monoclonal immunoassay for carbofuran and its application to the analysis of fruit juices 103

Arikawa, Y., see Sasaki, S. 275

Ashraf-Khorassani, M.

- and Taylor, L.T.

Supercritical fluid extraction of michellamines A and B from ancistrocladus korupensis leaves 305

Baeyens, W.R.G., see Zhang, Z. 325

Ballesteros, B., see Gascón, J. 149

Ballesteros, B.

-, Barceló, D., Camps, F. and Marco, M.-P.

Preparation of antisera and development of a direct enzymelinked immunosorbent assay for the determination of the antifouling agent Irgarol 1051 139

Barbosa, J.

—, Marqués, I., Fonrodona, G., Barrón, D. and Bergés, R. Factor analysis applied to correlation between acidity constants of series of diuretics, quinolones and buffers, with solvatochromic parameters in water–acetonitrile mixtures 385

Barbosa, J.

-, Toro, I. and Sanz-Nebot, V.

Acid-base behaviour of tripeptides in solvents used in liquid chromatography. Correlation between pK values and solvatochromic parameters of acetonitrile—water mixtures 295

Barceló, D., see Ballesteros, B. 139

Barceló, D., see Gascón, J. 149

Barceló, D., see Oubiña, A. 121

Barrón, D., see Barbosa, J. 385

Baumann, B.A., see Krämer, P.M. 187

Bergés, R., see Barbosa, J. 385

Biarnason, B.

-, Bousios, N., Eremin, S. and Johansson, G.

Flow injection enzyme immunoassay of atrazine herbicide in water 111

Bolshov, M.A., see Chisholm, W. 351

Bourgeois, A., see Heyden, Y.V. 369

Bousios, N., see Bjarnason, B. 111

Boutron, C.F., see Chisholm, W. 351

Brecht, A.

- and Gauglitz, G.

Label free optical immunoprobes for pesticide detection 219

Brumas, V., see Tessier, L. 207

Budnikov, G.K., see Medyantseva, E.P. 71

Bunin, V.D., see Ignatov, O.V. 241

Cai, X., see Wang, J. 1

Camps, F., see Ballesteros, B. 139

Camps, F., see Gascón, J. 149

Candelone, J.-P., see Chisholm, W. 351

Chicharro, M., see Wang, J. 1

Chisholm, W.

—, Rosman, K.J.R., Candelone, J.-P., Boutron, C.F. and Bolshov, M.A.

Measurement of bismuth at pg g<sup>-1</sup> concentrations in snow and ice samples by thermal ionisation mass spectrometry 351

Cumming, R.H., see Tang, L.X. 235

Danielsson, B., see Dzgoev, A. 87

Danielsson, B., see Mecklenburg, M. 79

de Oliveira Nato, G., see Milagres, B.G. 35

Dontha, N., see Wang, J. 1

Dzantiev, B.B., see Zherdev, A.V. 131

Dzgoev, A.

—, Mecklenburg, M., Xie, B., Miyabayashi, A., Larsson, P.-O. and Danielsson, B.

Optimization of a charge coupled device imaging enzyme linked immuno sorbent assay and supports for the simultaneous determination of multiple 2,4-D samples 87

Eggins, B.R.

-, Hickey, C., Toft, S.A. and Zhou, D.M.

Determination of flavanols in beers with tissue biosensors 281

Emnéus, J., see Lindgren, A. 51

Eremeev, N.L.

- and Kukhtin, A.V.

Stimuli-sensitive hydrogel material for biosensor-chemical trigger 27

Eremin, S., see Bjarnason, B. 111

Eremin, S.A., see Medyantseva, E.P. 71

Farias, P.A.M., see Wang, J. 1

Flair, M.N., see Wang, J. 1

Fonrodona, G., see Barbosa, J. 385

Forbes, G.A.

-, Nieman, T.A. and Sweedler, J.V.

On-line electrogenerated Ru(bpy) $_3^{3+}$  chemiluminescent detection of  $\beta$ -blockers separated with capillary electrophoresis 289 Fránek, M.

-, Pouzar, V. and Kolář, V.

Enzyme-immunoassays for polychlorinated biphenyls: structural aspects of hapten-antibody binding 163

Gao, W., see Jin, W. 263

Gascón, J., see Oubiña, A. 121

Gascón, J.

—, Oubiña, A., Ballesteros, B., Barceló, D., Camps, F., Marco, M.-P., González-Martínez, M.A., Morais, S., Puchades, R. and Maquieira, A.

Development of a highly sensitive enzyme-linked immunosorbent assay for atrazine. Performance evaluation by flow injection immunoassay 149

Gauglitz, G., see Brecht, A. 219

González-Martínez, M.A., see Gascón, J. 149

González-Martínez, M.A.

—, Morais, S., Puchades, R., Maquieira, A., Abad, A. and Montoya, A.

Development of an automated controlled-pore glass flowthrough immunosensor for carbaryl 199

Gonzalez, J., see Jamin, E. 359

Gorton, L., see Lindgren, A. 51

Grant, D.H., see Wang, J. 1

Grauers, A., see Mecklenburg, M. 79

Haapakka, K., see Kulmala, S. 333

Hayashi, C., see Sasaki, S. 275

Heyden, Y.V.

-, Bourgeois, A. and Massart, D.L.

Influence of the sequence of experiments in a ruggedness test when drift occurs 369

Hickey, C., see Eggins, B.R. 281

Hock, B.

Antibodies for immunosensors. A review 177

Horáček, J.

- and Skládal, P.

Improved direct piezoelectric biosensors operating in liquid solution for the competitive label-free immunoassay of 2,4-dichlorophenoxyacetic acid 43

Ignatov, O.V.

—, Khorkina, N.A., Shchyogolev, S.Yu., Khlebtsov, N.G., Rogacheva, S.M. and Bunin, V.D.

Electro-optical properties of microbial cells as affected by acrylamide metabolism 241

Iliasov, P.V., see Reshetilov, A.N. 19

Jamin, E.

—, Gonzalez, J., Remaud, G., Naulet, N., Martin, G.G., Weber, D., Rossmann, A. and Schmidt, H.-L.

Improved detection of sugar addition to apple juices and concentrates using internal standard <sup>13</sup>C IRMS 359

Jin, W.

- and Liu, K.

Determination of ultratrace iron in KH<sub>2</sub>PO<sub>4</sub> by derivative adsorption chronopotentiometry 257

Jin, W

-, Wei, H. and Zhao, X.

Adsorption-voltammetric determination of guanine, guanosine, adenine and adenosine with capillary zone electrophoresis separation 269

Jin, W.

-, Zhao, X. and Gao, W.

Determination of trace adenine, adenosine and adenosine monophosphate by 2nd-order derivative adsorption chronopotentiometry 263

Jönsson, B.R., see Mecklenburg, M. 79

Johansson, G., see Bjarnason, B. 111

Karube, I., see Sasaki, S. 275

Khaldeeva, E.I., see Medyantseva, E.P. 71

Khlebtsov, N.G., see Ignatov, O.V. 241

Khorkina, N.A., see Ignatov, O.V. 241

Kim, N.D., see Raksasataya, M. 313

Kolář, V., see Fránek, M. 163

Krämer, P.M.

-, Baumann, B.A. and Stoks, P.G.

Prototype of a newly developed immunochemical detection system for the determination of pesticide residues in water 187 Kröger, S.

— and Turner, A.P.F.

Solvent-resistant carbon electrodes screen printed onto plastic for use in biosensors 9

Kubota, L.T., see Milagres, B.G. 35

Kukhtin, A.V., see Eremeev, N.L. 27

Kulmala, A., see Kulmala, S. 333

Kulmala, S.

—, Kulmala, A., Latva, M. and Haapakka, K.

X-ray irradiated sodium chloride as an excitation source for the sensitized terbium(III)-specific chemiluminescence of aromatic Tb(III) chelates in aqueous solutions 333

Kutyreva, M.P., see Medyantseva, E.P. 71

Langdon, A.G., see Raksasataya, M. 313

Larsson, P.-O., see Dzgoev, A. 87

Latva, M., see Kulmala, S. 333

Lau, O.-W.

- and Wong, S.-K.

Mathematical model for the migration of plasticisers from food contact materials into solid food 249

Lindgren, A.

—, Emnéus, J., Ruzgas, T., Gorton, L. and Marko-Varga, G. Amperometric detection of phenols using peroxidase-modified graphite electrodes 51

Liu, K., see Jin, W. 257

Luo, D., see Wang, J. 1

Maquieira, A., see Gascón, J. 149

Maquieira, A., see González-Martínez, M.A. 199

Marco, M.-P., see Ballesteros, B. 139

Marco, M.-P., see Gascón, J. 149

Marko-Varga, G., see Lindgren, A. 51

Marqués, I., see Barbosa, J. 385

Martin, G.G., see Jamin, E. 359

Marty, J.-L., see Noguer, T. 63

Massart, D.L., see Heyden, Y.V. 369

Mecklenburg, M., see Dzgoev, A. 87

Mecklenburg, M.

—, Grauers, A., Jönsson, B.R., Weber, A. and Danielsson, B. A strategy for the broad range detection of compounds with affinity for nucleic acids 79

Medyantseva, E.P.

—, Vertlib, M.G., Kutyreva, M.P., Khaldeeva, E.I., Budnikov, G.K. and Eremin, S.A.

The specific immunochemical detection of 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid pesticides by amperometric cholinesterase biosensors 71

Mercader, J.V.

- and Montoya, A.

A monoclonal antibody-based ELISA for the analysis of azinphos-methyl in fruit juices 95

Milagres, B.G.

—, de Oliveira Neto, G., Kubota, L.T. and Yamanaka, H. A new amperometric biosensor for salicylate based on salicylate hydroxylase immobilized on polipyrrole film doped with hexacyanoferrate 35

Miyabayashi, A., see Dzgoev, A. 87

Montoya, A., see Abad, A. 103

Montoya, A., see González-Martínez, M.A. 199

Montoya, A., see Mercader, J.V. 95

Morais, S., see Gascón, J. 149

Morais, S., see González-Martínez, M.A. 199

Moreno, M.J., see Abad, A. 103

Naulet, N., see Jamin, E. 359

Nielsen, P., see Wang, J. 1

Nieman, T.A., see Forbes, G.A. 289

Noguer, T.

- and Marty, J.-L.

High sensitive bienzymic sensor for the detection of dithiocarbamate fungicides 63

Numata, M., see Sasaki, S. 275

Oubiña, A., see Gascón, J. 149

Oubiña, A.

-, Gascón, J. and Barceló, D.

Multianalyte effect in the determination of cross-reactivities of pesticide immunoassays in water matrices 121

Ozsoz, M., see Wang, J. 1

Palecek, E., see Wang, J. 1

Parrado, C., see Wang, J. 1

Patat, F., see Tessier, L. 207

Pouzar, V., see Fránek, M. 163 Puchades, R., see Gascón, J. 149

Puchades, R., see González-Martínez, M.A. 199

Raksasataya, M.

-, Langdon, A.G. and Kim, N.D.

Inhibition of Pb redistribution by two complexing agents (cryptand and NTA) during a sequential extraction of soil models 313

Remaud, G., see Jamin, E. 359

Reshetilov, A.N.

-, Semenchuk, I.N., Iliasov, P.V. and Taranova, L.A.

The amperometric biosensor for detection of sodium dodecyl sulfate 19

Rivas, G., see Wang, J. 1

Rogacheva, S.M., see Ignatov, O.V. 241

Rosman, K.J.R., see Chisholm, W. 351

Rossmann, A., see Jamin, E. 359

Rowell, F.J., see Tang, L.X. 235

Ruzgas, T., see Lindgren, A. 51

Sanz-Nebot, V., see Barbosa, J. 295

Sasaki, S.

—, Yokoyama, K., Tamiya, E., Karube, I., Hayashi, C., Arikawa, Y. and Numata, M.

Sulfate sensor using Thiobacillus ferrooxidans 275

Schmidt, H.-L., see Jamin, E. 359

Schmitt, N., see Tessier, L. 207

Semenchuk, I.N., see Reshetilov, A.N. 19

Shchyogolev, S.Yu., see Ignatov, O.V. 241

Shiraishi, H., see Wang, J. 1

Skládal, P., see Horáček, J. 43

Stoks, P.G., see Krämer, P.M. 187

Sweedler, J.V., see Forbes, G.A. 289

Tamiya, E., see Sasaki, S. 275

Tang, L.X.

-, Rowell, F.J. and Cumming, R.H.

Monitoring proteolytic enzymes for health and safety in the manufacturing environment. A review 235

Taranova, L.A., see Reshetilov, A.N. 19

Taylor, L.T., see Ashraf-Khorassani, M. 305

Tessier, L.

-, Schmitt, N., Watier, H., Brumas, V. and Patat, F.

Potential of the thickness shear mode acoustic immunosensors for biological analysis 207

Toft, S.A., see Eggins, B.R. 281

Toro, I., see Barbosa, J. 295

Trubaceva, J.N., see Zherdev, A.V. 131

Turner, A.P.F., see Kröger, S. 9

Valera, F.S., see Wang, J. 1

Van Der Weken, G., see Zhang, Z. 325

Vertlib, M.G., see Medyantseva, E.P. 71

Wang, J.

—, Rivas, G., Cai, X., Palecek, E., Nielsen, P., Shiraishi, H., Dontha, N., Luo, D., Parrado, C., Chicharro, M., Farias, P.A.M.,

Valera, F.S., Grant, D.H., Ozsoz, M. and Flair, M.N.

DNA electrochemical biosensors for environmental monitoring.

A review 1

Watier, H., see Tessier, L. 207

Weber, A., see Mecklenburg, M. 79 Weber, D., see Jamin, E. 359 Wei, H., see Jin, W. 269 Wong, S.-K., see Lau, O.-W. 249

Xie, B., see Dzgoev, A. 87

Yamanaka, H., see Milagres, B.G. 35 Yokoyama, K., see Sasaki, S. 275

Zhang, X., see Zhang, Z. 325 Zhang, Z.

—, Baeyens, W.R.G., Zhang, X., Zhao, Y. and Van Der Weken, G.

Chemiluminescence detection coupled to liquid chromatography for the determination of penicillamine in human urine 325

Zhao, X., see Jin, W. 263

Zhao, X., see Jin, W. 269

Zhao, Y., see Zhang, Z. 325

Zherdev, A.V.

-, Dzantiev, B.B. and Trubaceva, J.N.

Homogeneous enzyme immunoassay for pyrethroid pesticides and their derivatives using bacillary alpha-amylase as label 131 Zhou, D.M., see Eggins, B.R. 281

